



NSC Videotechnik

Scalable security systems
for demanding requirements.



NSC Videotechnik

Professional technology
for demanding projects.

NSC Videotechnik is a manufacturer of systems for intelligent video surveillance and state-of-the-art IP video door intercom systems.

Reap the benefits of our comprehensive expertise and knowledge in the field of modern video technology. We offer customised solutions and comprehensive security concepts as well as professional support – from a single source.

Our long-standing track record in the field of security technology makes us the ideal partner for your technical requirements in the area of video surveillance.

Innovation. Development. Security.



**Intelligent functions.
Sophisticated technology.**

Benefits

NSC Videotechnik offers you technology and competence.



Planning and project engineering

We would be happy to help you plan your projects. We assist you when it comes to analysing the goals and requirements for your concept.

We provide you with the most suitable technology for all areas of application. Our components are optimally aligned and easily scalable.

Our extensive range of accessories means that there are virtually no limits to the installation. Everything is possible, from door intercom systems to industrial plant monitoring - precisely tailored to suit your project.



Solutions for advanced requirements

For special areas of application, you benefit from the intelligent functions of our video technology.

This includes functions such as:

Perimeter protection (securing large industrial areas)

People counting (in retail stores, train stations, etc.)

Face detection (recognition of facial features)

Thermal video surveillance (monitoring of temperature and fire risk)

Benefits

Our expertise, flexibility and reliability



Support and training

Extensive and professional support is an integral part of NSC Videotechnik's program. We accompany you during your project, obviously even if something does not go according to plan. Our technical know-how enables us to find the very best solution for your needs.

We train you on all aspects related to video technology. Either with your entire team or in individual training sessions, depending on your specific needs, focusing on your particular requirements.



Logistics and reliability

Our exceptionally large variety of video technology and our high availability from stock make us your perfect partner.

Thanks to our efficient logistics and flexibility, we are in an excellent position to support you in the smooth implementation of your project. When it comes to urgent deadlines in particular, we will gladly demonstrate our potential.

Our products

Perfectly tailored to meet every requirement.



IP network video technology



HDCVI video technology



NVR Recorders



DVR Recorders



IP video door intercom systems



Accessories

IP network video technology

Advanced technologies. Intelligent functions.

Our IP network video technology is suitable for scalable projects with demanding requirements. Our IP video surveillance systems are characterised by a high level of user-friendliness and simple expansion options.

We offer models in various designs for indoor and outdoor use, equipped with intelligent analysis functions and reliable recording.

- ✓ A large variety of models for a wide range of requirements when it comes to indoor and outdoor video surveillance
- ✓ Bullet, Dome and PTZ IP Cameras with 2 MP to 8 MP resolution
- ✓ Intelligent functions: e.g. perimeter protection, people counting, people and vehicle detection and intelligent motion detection
- ✓ Thermal video surveillance
- ✓ IP Cameras optionally with fixed lens or motor zoom
- ✓ Sensors featuring high light sensitivity and smart night vision, including colour imaging
- ✓ NVR Recorders with reliable recording, backup and playback, from 4 up to 128 channels
- ✓ Variable storage and RAID system



IP Dome Camera NI-DM98Z

Image sensor	1/1.8" 8 megapixel CMOS
Resolution	3840 (H) × 2160 (V)
Night vision	40 metres
Focal length	2.7 mm - 12 mm motor zoom
Viewing angle	H: 47° - 114°
Intelligent functions	Perimeter protection, intelligent search, face detection, people counting



NVR Recorder NN-128H2

Recording	Up to 12 megapixel resolution
Channels	128 IP Camera channels
Bandwidth	384 Mbps
Compression	H.265
Alarm	16 In / 8 Out
Hard disk storage	8x SATA connector, up to 10 TB each

You can find more products at www.nsc-videotechnik.de



HDCVI video technology

Intelligent functions. Quick setup.

Our HDCVI video technology is suitable for conventional projects that use a connection via coaxial cable. This ensures fast setup and stable transmission, even at high resolutions.

We offer various camera designs for indoor and outdoor use. With a resolution of 2 MP to 8 MP, the recordings are reliably transmitted to the video recorder. IP Cameras can also be connected to the recorder.

- ✓ Bullet, Dome and PTZ HDCVI Cameras with 2 MP to 8 MP resolution
- ✓ Intelligent functions: e.g. perimeter protection, people counting, detection of people and vehicles and intelligent motion detection by the DVR Recorder
- ✓ Stable transmission via coaxial cable
- ✓ HDCVI Cameras optionally with fixed lens or motor zoom
- ✓ Sensors with high light sensitivity for optimal night vision
- ✓ DVR Recorder with reliable recording, storage and intelligent functions, from 4 to 32 channels
- ✓ Variable storage capacity



HDCVI Eyeball Camera NHD-EB428

Image sensor	1/1.8" 4 megapixels CMOS
Resolution	2560 (H) × 1440 (V)
Night vision	50 metres
Focal length	2.8 mm
Viewing angle	H: 112.7°
Video output	BNC HDCVI / CVBS, switchable via DIP switch



DVR Recorder NX-10801A3

Recording	Up to 2 megapixel resolution
Channels	8 BNC connectors + 4 IP Cameras
Bandwidth	64 Mbps
Compression	H.265+
Video formats	HDCVI, AHD, TVI, CVBS, IP
Hard disk storage	1x SATA connector, up to 10 TB each
Intelligent functions	Perimeter protection, intelligent search, face detection, motion detection

You can find more products at www.nsc-videotechnik.de




IP video door intercom systems

Exceptional image quality. Smartphone control.

Our IP video door phone for single and multi-family houses offers high convenience and comprehensive features. The outdoor station is equipped with a high quality 2 MP camera with night vision. A 7" TFT touchscreen monitor is used as the indoor station.

Thanks to its innovative and high-quality design, the system fits perfectly into the entrance area. The system can be conveniently operated via smartphone app and offers modular expansion options.

- ✓ High image quality with 2 MP Full HD resolution, 160° viewing angle and night vision
- ✓ Control via smartphone app, easy operation via TFT touchscreen monitor, intercom function between units
- ✓ Modern and high quality design
- ✓ Systems for single and multi-family homes
- ✓ Video and voice messaging function
- ✓ Modular system for easy expansion of components
- ✓ Variety of modules, e.g. multiple bell buttons, RFID access, fingerprint
- ✓ Flexible installation in existing buildings or new construction plans
- ✓ Integration of IP network surveillance cameras



Modular outdoor station NTS-SA2


Camera	2 MP colour camera with night vision
Viewing angle	160° wide angle
Audio	Microphone and speaker
Wiring	PoE or 2-wire
Installation	Surface or flush mount
Extension	Modular system



Indoor station touch screen hybrid monitor NTS-MI1

Display	7" TFT touchscreen
Wiring	PoE or 2-wire
Audio	Loudspeaker
Compatibility	ONVIF
Alarm	6 In / 1 Out
Memory	Micro SD card up to 256 GB

You can find more products at www.nsc-videotechnik.de



Video technology accessories

Extensive options for products and projects.

The accessories we offer for our video technology enable the uncomplicated installation and expansion of your security system. Our range encompasses a variety of mounts and junction boxes for numerous camera types, PoE switches, control units, power supplies and converters.

Start planning the desired installation of surveillance cameras or the uncomplicated expansion of your existing project. Our accessories provide the right solution for every purpose.

- ✓ Mounts and junction boxes for Dome, Bullet, Eyeball and PTZ Cameras
- ✓ Power supply units for sufficient power supply of the systems
- ✓ Control units for NVR / DVR Recorders and PTZ Cameras
- ✓ PoE network switches
- ✓ Variable solutions for wall and ceiling mounting as well as façade and mast mounting
- ✓ Converters and network switches to extend existing systems



Mounts for surveillance cameras



Control unit NA-K1



Power supplies and power boxes

You can find more products at www.nsc-videotechnik.de



Support and training

Technical support. Continuous training.

The team at NSC Videotechnik will not only support you when it comes to providing advice and planning for your projects. We accompany you with the highest degree of expertise and efficiency during your project and provide you with comprehensive technical support.

In addition to our support, you will also receive training from us on all topics related to video technology and our IP video door intercom system. Expand your knowledge of functions and installation. Either with your entire team or in individual training sessions, depending on your specific needs, focusing on your particular requirements.

- ✓ Professional technical support for all products and system
- ✓ Our technical department will personally tend to your needs
- ✓ Fast response for problem solving
- ✓ Flexible assistance with remote access to your system

- ✓ Training courses on all topics related to video technology and IP video door intercoms
- ✓ Extensive expertise for you and your team
- ✓ Individual or team training



Thermal Camera

2021-10-01 14:53:00

Start 40.0°C
Stop 14.4°C

Thermal

```
100 - g11w-2.11.3 (system 3)  
101 - g11w-2.11.3 (top 2)  
102 - g11w-2.11.3 (top 1)  
103 - g11w-2.11.3 (top 1)  
104 - g11w-2.11.3 (top 1)  
105 - g11w-2.11.3 (top 1)  
106 - g11w-2.11.3 (top 1)  
107 - g11w-2.11.3 (top 1)  
108 - g11w-2.11.3 (top 1)  
109 - g11w-2.11.3 (top 1)  
110 - g11w-2.11.3 (top 1)  
111 - g11w-2.11.3 (top 1)  
112 - g11w-2.11.3 (top 1)  
113 - g11w-2.11.3 (top 1)  
114 - g11w-2.11.3 (top 1)  
115 - g11w-2.11.3 (top 1)  
116 - g11w-2.11.3 (top 1)  
117 - g11w-2.11.3 (top 1)  
118 - g11w-2.11.3 (top 1)  
119 - g11w-2.11.3 (top 1)  
120 - g11w-2.11.3 (top 1)  
121 - g11w-2.11.3 (top 1)  
122 - g11w-2.11.3 (top 1)  
123 - g11w-2.11.3 (top 1)  
124 - g11w-2.11.3 (top 1)  
125 - g11w-2.11.3 (top 1)  
126 - g11w-2.11.3 (top 1)  
127 - g11w-2.11.3 (top 1)  
128 - g11w-2.11.3 (top 1)  
129 - g11w-2.11.3 (top 1)  
130 - g11w-2.11.3 (top 1)  
131 - g11w-2.11.3 (top 1)  
132 - g11w-2.11.3 (top 1)  
133 - g11w-2.11.3 (top 1)  
134 - g11w-2.11.3 (top 1)  
135 - g11w-2.11.3 (top 1)  
136 - g11w-2.11.3 (top 1)  
137 - g11w-2.11.3 (top 1)  
138 - g11w-2.11.3 (top 1)  
139 - g11w-2.11.3 (top 1)  
140 - g11w-2.11.3 (top 1)  
141 - g11w-2.11.3 (top 1)  
142 - g11w-2.11.3 (top 1)  
143 - g11w-2.11.3 (top 1)  
144 - g11w-2.11.3 (top 1)  
145 - g11w-2.11.3 (top 1)  
146 - g11w-2.11.3 (top 1)  
147 - g11w-2.11.3 (top 1)  
148 - g11w-2.11.3 (top 1)  
149 - g11w-2.11.3 (top 1)  
150 - g11w-2.11.3 (top 1)
```

3D architectural model

NOBEX 295

Item	Quantity	Unit	Material	Color	Area	Volume	Weight	Price
1	1	m ²	Concrete	Grey	100	100	100	100
2	1	m ²	Brick	Red	200	200	200	200
3	1	m ²	Steel	Blue	50	50	50	50
4	1	m ²	Wood	Light	100	100	100	100
5	1	m ²	Glass	Clear	50	50	50	50
6	1	m ²	Insulation	White	100	100	100	100
7	1	m ²	Roofing	Grey	100	100	100	100
8	1	m ²	Foundation	Concrete	100	100	100	100
9	1	m ²	Wall	Brick	200	200	200	200
10	1	m ²	Floor	Concrete	100	100	100	100


Stock and shipping

High availability.
Fast shipping.

Our particularly large selection of video technology and our high availability from stock for all our products in the areas of video technology, IP video door intercoms and accessories make us your perfect partner.

Thanks to our efficient logistics and flexibility, we are in an excellent position to support you in the smooth implementation of your project. We ensure fast delivery even for projects with extremely urgent deadlines. If time is of essence, we also offer express delivery up to the next working day.

- ✓ High stock availability for all products
- ✓ Short-term and flexible realization of projects
- ✓ Standard or express shipping
- ✓ 3 years warranty
- ✓ Uncomplicated handling of returns





Contact

This is where you can contact us.
Service and Support.

Our team will assist you with all inquiries and is available to offer advice on the planning of your project. We find the right products for your requirements and accompany you with professional technical support.

NSC Videotechnik GmbH

Kappeler Straße 145
40599 Düsseldorf

Tel.: +49 211 83 83 45 0
Fax: +49 211 83 83 45 01

info@nsc-videotechnik.de
www.nsc-videotechnik.de

WEEE-Reg. No. DE 70526142

Your team from





Product overview

IP network video technology

Bullet



NI-B9228
2 MP IP Bullet fixed focal length



NI-B5436
4 MP IP Bullet fixed focal length



NI-B5828
8 MP IP Bullet fixed focal length



NI-B52Z
2 MP IP Bullet motor zoom



NI-B54Z
4 MP IP Bullet motor zoom



NI-B54ZS
4 MP IP Bullet motor zoom



NI-B94Z
4 MP IP Bullet motor zoom



NI-BTE94Z
4 MP IP Bullet motor zoom



NI-B58Z
8 MP IP Bullet motor zoom



NI-B98Z
8 MP IP Bullet motor zoom

Dome



NI-DM5228
2 MP IP Dome fixed focal length



NI-DM9428
4 MP IP Dome fixed focal length



NI-DM52Z
2 MP IP Bullet motor zoom



NI-DM54Z
4 MP IP Bullet motor zoom



NI-DM54ZS
4 MP IP Bullet motor zoom



NI-DM98Z
8 MP IP Bullet motor zoom

PTZ



NI-PT5404
4 MP IP PTZ



NI-PT5445
4 MP IP PTZ



NI-PT9848
8 MP IP PTZ

Eyeball



NI-EB5828
8 MP IP Eyeball fixed focal length



NI-EB94Z
4 MP IP Eyeball motor zoom



NI-FE912
12 MP IP Fisheye fixed focal length



NI-EB52TH
4 MP IP Eyeball Thermal fixed focal length

NVR



NN-04PH1
4-channel NVR Recorder 4K



NN-08PH1
8-channel NVR Recorder 4K



NN-16PH1
16-channel NVR Recorder 4K



NN-32H2
32-channel NVR Recorder 4K



NN-64H2
64-channel NVR Recorder 4K



NN-128H2
128-channel NVR Recorder 4K

Product overview

HDCVI video technology

Bullet



NHD-B2Z
2 MP HDCVI Bullet motor zoom



NHD-B4Z
4 MP HDCVI Bullet motor zoom



NHD-B8Z
8 MP HDCVI Bullet motor zoom

Dome



NHD-DM228
2 MP HDCVI Dome fixed focal length



NHD-DM428
4 MP HDCVI Dome fixed focal length



NHD-DM2Z
2 MP HDCVI Dome motor zoom



NHD-DM4Z
4 MP HDCVI Dome motor zoom

PTZ



NHD-PT215
2 MP HDCVI PTZ



NHD-PT215IE
2 MP HDCVI PTZ

Eyeball



NHD-EB428
4 MP HDCVI Eyeball fixed focal length



NHD-EB4Z
4 MP HDCVI Eyeball motor zoom

DVR



NX-10401A3
4-channel DVR Recorder 2 MP



NX-10801A3
8-channel DVR Recorder 2 MP



NX-11602V1
16-channel DVR Recorder 4K



NX-11604V1
16-channel DVR Recorder 4K



NX-13202V1
32-channel DVR Recorder 2 MP

Product overview

IP video door intercom system

Indoor station



NTS-MI1
7" touchscreen hybrid monitor

Outdoor station



NTS-SA1
2 MP outdoor station

Modular outdoor station



NTS-SA2
2 MP modular outdoor station



NTS-MD1
1-button module



NTS-MD2
2-button module



NTS-MD3
Indicator module



NTS-MD4
Display module



NTS-MD5
5-button module



NTS-MD6
Code access module



NTS-MD7
Fingerprint module



NTS-MD8
RFID card reader module



NTS-MD9
Blind module

Outdoor station mounting frame



NTS-HA1U
Flush mounting frame



NTS-HA2A
Surface mount frame



NTS-HA3RA
Surface mounting frame rain protection

Front-door station modular mounting frame



NTS-HA4B
Cover for 2 modules



NTS-HA5B
Cover for 3 modules



NTS-HA6U
Flush mount frame for 2 modules



NTS-HA7U
Flush mount frame for 3 modules



NTS-HA8RA
Surface mounting frame for 2 modules



NTS-HA9RA
Surface mounting frame for 3 modules



NTS-HA10RA
Surface mounting frame for multiple 2 modules



NTS-HA11RA
Surface mounting frame for multiple 3 modules

Accessories



NA-NT125A
Power supply unit 48 V DC / 1.25 A




NTS-SW1
2-wire switch



NTS-RFID
RFID access card

Project planning





Innovation. Development. Security.